

CT coronary angiography

Computed tomography (CT) provides information on the coronary arteries and the heart's structure.

Computed tomography uses X-rays to take cross-section images.

Please reserve approximately 2 hours for your visit.

The examination usually takes approximately 30 minutes.

Patients who need urgent examinations may be examined before you.

Please see the arrival instructions or appointment letter for contact information, if you have any questions about the examination.

Before the examination

On the morning of the examination:

- Do not eat anything for 2 hours before the examination.
- Drinking water or juice up until the examination is recommended.
- Do not drink coffee or tea because they increase the heart rate.
- Smoking should be avoided.
- Take your prescribed medication as instructed.
- **If you are hypersensitive to iodine contrast medium**, please inform the doctor who referred you to this examination as soon as possible.
- **If you are pregnant or suspect that you are pregnant**, please inform the doctor who referred you to this examination as soon as possible.

During the examination

Before the examination, your need for premedication will be assessed.

A radiographer will measure your blood pressure and pulse and place a cannula in your vein.

Coronary artery scans are most successful when the heartbeat is steady and the rate about 60 per minute.

If necessary, you will be administered medication to calm the heart rate, either orally as tablets or via the cannula immediately before the examination.

You will also receive two doses of nitroglycerin spray orally.

Nitroglycerin makes the coronary arteries appear more clearly in the images.

First, the heart is scanned without the contrast medium and then with it.

The contrast medium is injected into the circulation via the cannula.

During the scan, you must lie still and follow the breathing instructions given.

The radiographer has a speech, hearing and visual contact with you.

The contrast medium causes a temporary feeling of heat and sometimes metallic taste in the mouth.

The contrast medium will excrete through your urine.

After the examination

If you received sedative premedication during the examination, it is not recommended to drive a car immediately afterward.

The examination does not prevent you from going to work afterward.

You will receive the results of the examination from the doctor who treats you.

If you do not know how to find out the results, please contact the outpatient clinic or ward that referred you to this examination.

Other things to note

You will not be charged for the examination separately.

Cancel the appointment if you cannot come. If you do not cancel, you will be charged a fine.

